

# NDX™ TURF TIRE & WHEEL SYSTEMS



## THE TIRE THAT NEVER GOES FLAT.

OTR Wheel Engineering's game-changing, patent-pending NDX™ tire line for commercial turf equipment lasts up to 2x longer than other airless options. It just keeps rolling, no matter what.



**OTR Wheel  
Engineering**

Tires and Wheels - Design and Delivery Solutions



MAKE / MODEL	OE REAR TIRE SIZE	NDX REAR TIRE SIZE	TREAD PATTERN	BOLT PATTERN	BOLT HOLE SIZE	PILOT HOLE SIZE	OFFSET	NDX PART NUMBER
<b>Ariens/Gravely</b>								
Pro Turn 100 - 148,152 & 160	23x10.5-12	23x10.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-2.25	PN:NDX2310501457GM5114A PN:NDX2310501457ZT2S5114A
Pro Turn 200 & 400 60" & 72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-2.25	PN:NDX2412001457GM5114A PN:NDX2412001457ZT25114A PN:NDX2412001457ZT2S5114A
<b>Bad Boy Mower</b>								
Renegade Diesel 6100, Gas 6100, 7200 Rogue 5400, 6100, 7200	26x12-12	26x12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-2.25	PN:NDX2612001657GM5114A PN:NDX2612001657ZT2S5114A
Outlaw 5400, 6100, Outlaw XP 5400, 6100, 7200, Outlaw Extreme 6100 & 7200 Rebel 5400, 6100, 7200	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT25114A PN:NDX2412001438ZT2S5114A
Maverick 5400, 6000	23x10.5-12	23x10.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2310501438GM5114A PN:NDX2310501438ZT2S5114A
<b>Bob-Cat</b>								
Predator-Pro 7000 9997001, 9997002, 9997003, 9997004	26x12-12	26x12.00-16	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2612001625GM4101A PN:NDX2612001625ZT2S4101A
ProCat 6000MX 9996005 & 9996006	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2412001425GM4101A PN:NDX2412001425ZT24101A PN:NDX2412001425ZT2S4101A
XRS Pro RS 942630, 942631, 942632	23x10.5-12	23x10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2310501425GM4101A PN:NDX2310501425ZT2S4101A
<b>Bush Hog</b>								
HDZ3161FX3, HDZ3361ECV3, HDZ3173FX3, HDZ3373ECV3, HDZ2761CV2, HDZ2773CV2, HDZ3161FX2, HDZ3173FX2, HDZ3361ECV2, HDZ3373ECV2	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT25114A PN:NDX2412001438ZT2S5114A
HDE2049KT3, HDE2249FS3, HDE2255FS3, HDE2555KP3, HDE2261FS3, HDE2561KP3, HDC2361FS3, HDC2561KP3, HDE2049KT2, HDE2249FS2, HDE2255FS2, HDE2261FS2, HDE2549PS2, HDE2555KP2, HDE2555PS2, HDE2561KP2, HDE2561PS2, HDC2355FS2, HDC2555KP2, HDC2361FS2, HDC2561KP2, HDZ2761CV2, HDZ2773CV2, HDZ3161FX2, HDZ3173FX2, HDZ3361ECV2, HDZ3373ECV2,	23x10.5-12	23x10.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2310501438GM5114A PN:NDX2310501438ZT2S5114A

MAKE / MODEL	OE REAR TIRE SIZE	NDX REAR TIRE SIZE	TREAD PATTERN	BOLT PATTERN	BOLT HOLE SIZE	PILOT HOLE SIZE	OFFSET	NDX PART NUMBER
<b>Country Clipper</b>								
Charger 52" & 60" ZTR	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT2S5114A PN:NDX2412001438ZT2S5114A
Boss XL 60" & 72" ZTR	26x14-12	26x12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX2612001625GM5114A PN:NDX2612001625ZT2S5114A
<b>Cub Cadet</b>								
Ultima ZTX6 48" & 54"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2412001425GM4101A PN:NDX2412001425ZT24101A PN:NDX2412001425ZT2S4101A
Ultima ZTX6 60", Pro Z 960 S KW 60", Pro Z 760 & 772 60", Pro Z 560 L KW & S KW 60", Pro Z 554 L KW & S KW 54", Pro Z 500 Z Turn 54" & 548 L KW 48"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX2412001457GM4101A PN:NDX2412001457ZT24101A PN:NDX2412001457ZT2S4101A
Pro Z 900 Z Turn & 960 L KW 60" Pro Z 972 S KW & L KW 72"	26x12-12	26x12.00-16	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX2612001657GM4101A PN:NDX2612001657ZT2S4101A
Pro Z Series 148 48", 154 54" & 160 60"	23x10.5-12	23x10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX2310501457GM4101A PN:NDX2310501457ZT2S4101A
<b>Dixie Chopper</b>								
Magnum 2450KW, 2550KO 50" & 2462KW, 2560KO 60" & Blackhawk 2248KW 48", 2454KW 54", 2460KW 60", HP 2248KW, 2248KOE 48", HP 2454KW & 2454KOE 54", HP 2460KW & 2560KOE 60" Striker 2548KWE, 2554KWE	23X10.50-12	23X10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2310501425GM4101A PN:NDX2310501425ZT2S4101A
Eagle 2754KW, 2754KOE, 2760KW, 2760KOE Eagle HP 3160KW, 3160KOE, 3566KW, 3366KOE, 3572KW, 3372KOE, Classic 2750KW, 2760KW, 3160KW, 3160KOE, 3572KW, 3572KOE, 3672BR, Xcaliber 3160KW, 3360KOE, 3366KOE, 3366KW, 3574KW, 3574KOE, 3674BR	25x12-12	26x12.00-16	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2612001625GM4101A PN:NDX2612001625ZT2S4101A
<b>Exmark</b>								
Lazer Z AS 48", 52", 60" & 72" & Lazer Z S-series 72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2412001425GM4101A PN:NDX2412001425ZT24101A PN:NDX2412001425ZT2S4101A
Lazer Z Diesel	26x12-12	26x12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2612001638GM5114A PN:NDX2612001638ZT2S5114A

MAKE / MODEL	OE REAR TIRE SIZE	NDX REAR TIRE SIZE	TREAD PATTERN	BOLT PATTERN	BOLT HOLE SIZE	PILOT HOLE SIZE	OFFSET	NDX PART NUMBER
<b>Ferris</b>								
F160Z & IS 2100 Z Series	24X9.5-12	24X9.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX249501438GM5114A PN:NDX249501438ZT2S5114A
F210Z, IS 2600 Z Series	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT25114A PN:NDX2412001438ZT2S5114A
F320Z, IS 3200 Z Series	26x12-12	26x12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX2612001625GM5114A PN:NDX2612001625ZT2S5114A
<b>Grasshopper</b>								
MidMount 200V-G4 Series 52" & 61" MidMount 225 48" & 52", 321D 48" & 329B, 325D & 329 52"	23x10.5-12	23x10.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX2310501425GM5114A PN:NDX2310501425ZT2S5114A
MidMount 328G4, 329G4 52" & 61", 337G5 61" & 72", 225 61", 329B, 335, 325D, 329 61" & 72", 400D, 432 61" & 72", 900D 61" & 72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX2412001425GM5114A PN:NDX2412001425ZT25114A PN:NDX2412001425ZT2S5114A
MidMount 333G5 61" & 72"	26x12-12	26x12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-2.25	PN:NDX2612001657GM5114A PN:NDX2612001657ZT2S5114A
<b>Hustler</b>								
X-One 52" & 54"	24x9.5-12	24x9.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX249501425GM5114A PN:NDX249501425ZT2S5114A
X-One 60" & 72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT25114A PN:NDX2412001438ZT2S5114A
Super Z 54"	24x9.5-12	24x9.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	0.5	PN:NDX249501412GM5114A PN:NDX249501412ZT2S5114A
Super Z 60", 66" & 72", Hustler Z Diesel 60" & 72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	0.5	PN:NDX2412001412GM5114A PN:NDX2412001412ZT25114A PN:NDX2412001412ZT2S5114A
Super Z Hyperdrive 60" & Super 88	26x12-12	26x12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	0.5	PN:NDX2612001612GM5114A PN:NDX2612001612ZT2S5114A
Super Z Hyperdrive 66" & 72", Super 104	26x12-12	26x12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX2612001625GM5114A PN:NDX2612001625ZT2S5114A
FasTrak SDX 54" & 60"	23x11-10	23x10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2310501425GM4101A PN:NDX2310501425ZT2S4101A
<b>Husqvarna</b>								
M-ZT52 & M-ZT61, Z554 & Z554X	23x10.5-12	23x10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2310501425GM4101A PN:NDX2310501425ZT2S4101A
Z560X, Z560 60" & Z572X 72"	24x12.00-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2412001425GM4101A PN:NDX2412001425ZT24101A PN:NDX2412001425ZT2S4101A

MAKE / MODEL	OE REAR TIRE SIZE	NDX REAR TIRE SIZE	TREAD PATTERN	BOLT PATTERN	BOLT HOLE SIZE	PILOT HOLE SIZE	OFFSET	NDX PART NUMBER
<b>John Deere</b>								
Ztrak Z540R 48", 54" & 60", Z720E 54" & 60", Z730M 54" & 60", Z735M 54" & 60", Z735E 60"	23x10.50-12	23x10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2310501425GM4101A PN:NDX2310501425ZT2S4101A
Ztrak Z740R, Z915E 54" & 60", Z920M, Z925M 54" & 60", Z930M, Z930R 54" & 60", Z950M, Z950R, Z970R 60", Z994 54", 60" & 72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2412001425GM4101A PN:NDX2412001425ZT24101A PN:NDX2412001425ZT2S4101A
ZTrak Z950M, Z950R, Z970R 72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX2412001457GM4101A PN:NDX2412001457ZT24101A PN:NDX2412001457ZT2S4101A
ZTrak Z997 54" & 60"	26x12-12	26x12.00-16	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2612001625GM4101A PN:NDX2612001625ZT2S4101A
<b>Kioti</b>								
ZXC60, ZXC48 SE, ZXC54 SE, ZXC60 SE	23X10.5-12	23X10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX2310501457GM4101A PN:NDX2310501457ZT2S4101A
CS2210 & CS2510	26X12-12	26X12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX2612001625GM5114A PN:NDX2612001625ZT2S5114A
<b>Kubota</b>								
ZD1211-60, ZD1211R-60R, ZD1211L-72, ZD1211RL-72R, ZD1511RL-60R, ZD1511LF-72, ZD1511RLF-72R, ZG327PA-60, ZG327RPA-60	26x12-16	26x12.00-16	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-2.25	PN:NDX2612001657GM5114A PN:NDX2612001657ZT2S5114A
Z725KH-60, Z726XKW-60, Z725KH-2-60, Z726XKW-2-60, Z781KWTi-60 & ZD1021-60	24X12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT25114A PN:NDX2412001438ZT2S5114A
Z421KWT-60 (Z400)	24X12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2412001425GM4101A PN:NDX2412001425ZT24101A PN:NDX2412001425ZT2S4101A
Z751KWi-48	24x9.4-14	24x9.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX249501425GM5114A PN:NDX249501425ZT2S5114A
ZG222 & ZG227	23x10.5-12	23x10.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1	PN:NDX2310501425GM5114A PN:NDX2310501425ZT2S5114A
SZ26-61	23x10.5-12	23x10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2310501425GM4101A PN:NDX2310501425ZT2S4101A
<b>Scag</b>								
Cougar & Tiger Cub 48"	23x9.50-12	23x10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2310501425GM4101A PN:NDX2310501425ZT2S4101A
Cougar & Tiger Cub 52"	23x9.50-12	23x10.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX2310501457GM4101A PN:NDX2310501457ZT2S4101A
V-Ride II 48" & 52", Tiger Cat & Wild Cat 52"	24x9.50-12	24x9.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX249501457GM4101A PN:NDX249501457ZT2S4101A



MAKE / MODEL	OE REAR TIRE SIZE	NDX REAR TIRE SIZE	TREAD PATTERN	BOLT PATTERN	BOLT HOLE SIZE	PILOT HOLE SIZE	OFFSET	NDX PART NUMBER
V-Ride II 61", Wildcat, Turf Tiger, Sabre Tooth 48"-72", Turf Tiger SMT-61V & 72V, Tiger Cat II STCII-61V, Patriot 52" & 61"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX2412001457GM4101A PN:NDX2412001457ZT24101A PN:NDX2412001457ZT2S4101A
Tiger Cat & Wild Cat 48", Tiger Cat II 52", Tiger Cat II STCII-52V	24x9.50-12	24x9.50-14	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX249501425GM4101A PN:NDX249501425ZT2S4101A
Cheetah 61"-72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT25114A PN:NDX2412001438ZT2S5114A
Turf Tiger II 61" & 72"	26x12-12	26x12.00-16	Grass Master Zero TII S	4 ON 4"	0.563"	2.835"	-2.25	PN:NDX2612001657GM4101A PN:NDX2612001657ZT2S4101A
<b>Spartan</b>								
RT PRO 54" & 61", RT HD 61", SRT PRO 61", SRT HD 54" & 61", SRT XD 61" & 72"	24x10.5-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT25114A PN:NDX2412001438ZT2S5114A
RT HD 54"	23x10.5-12	23x10.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2310501438GM5114A PN:NDX2310501438ZT2S5114A
SRT PRO 54"	23x10.5-12	23x10.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2310501438GM5114A PN:NDX2310501438ZT2S5114A
<b>Toro</b>								
Z Master 60" & 72"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	4 ON 4"	0.563"	2.835"	-1	PN:NDX2412001425GM4101A PN:NDX2412001425ZT24101A PN:NDX2412001425ZT2S4101A
<b>Wright</b>								
MMZ 52"	24x9.5-12	24x9.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX249501438GM5114A PN:NDX249501438ZT2S5114A
MMZ 61", ZTO 52" & 61"	24x12-12	24x12.00-14	Grass Master Zero TII Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2412001438GM5114A PN:NDX2412001438ZT25114A PN:NDX2412001438ZT2S5114A
ZTO 48"	23x10.5-12	23x10.50-14	Grass Master Zero TII S	5 ON 4.5"	0.563"	3.13"	-1.5	PN:NDX2310501438GM5114A PN:NDX2310501438ZT2S5114A



# NDX™ MOBILITY SOLUTIONS

100% uptime + 0% downtime = Maximum Productivity, Utilization, Safety & Value.

## The Tire That Never Goes Flat!



Patent-pending breakthrough in airless tire design and value.

Heavy-duty construction, 14-ply effective rating; ultra-durable and long-lasting for heavy-duty use.

Less deflection than pneumatic tires, under heavy loads; maintains safe ground clearance.

Wide contact patch enhances stability & braking performance.

Exceptional traction, grip and handling; OEM approved tread patterns.

Tire sustains continuous normal operation even with punctures >1" in diameter.

Tread design improves fuel economy by up to 10% vs. other tire options, for an eco-friendly solution.

Lasts up to 2x longer than other airless tires, even when carrying heavy loads (e.g. a grass catcher) – ideal for commercial turf care.

No maintenance; tire retains optimal profile at all times.

Supports loads up to 880 lbs. with no degradation in performance; rated to 20 mph.

Integrated aluminum or steel wheels included with NDX system.

Comfortable ride, equal to or better than pneumatic tires.



Grass Master

Zero-T II & T II S\*  
\*Unique shoulder design



### GLOBAL HEADQUARTERS

OTR Wheel Engineering, Inc. • 195 Chatillon Road NE • Rome, Georgia 30161  
706-235-9781 • [otrwheel.com/ndxairlesstire](http://otrwheel.com/ndxairlesstire)



OEM Compliant • Popular Fitments • Durable & Long-Lasting • No Downtime • Better ROI • Safe Operation