

NDX™ UTILITY VEHICLE TIRE & WHEEL SOLUTIONS



THE TIRE THAT NEVER GOES FLAT.

OTR Wheel Engineering's game-changing, patent-pending NDX™ line for commercial turf equipment lasts up to 2x longer than other airless options. It just keeps rolling, no matter what.



**OTR Wheel
Engineering**

Tires and Wheels - Design and Delivery Solutions

MAKE / MODEL	F/R TIRE	OEM TIRE SIZE	YEAR FROM	YEAR TO	RECOMMENDED NDX SIZE	TREAD PATTERN	BOLT PATTERN	BOLT HOLE SIZE	PILOT HOLE SIZE	OFFSET	NDX PART NUMBER
Bob Cat											
3400 4x4 Gas & Diesel/XL	F	25x10-12	2011	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
3400 4x4 Gas & Diesel/XL	R	25x11-12	2011	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
3450 4x4 Diesel / RapidLink	F	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
3450 4x4 Diesel / RapidLink	R	25x11-12	2014	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
3600 4x4 Diesel	F	25x10-12	2016	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
3600 4x4 Diesel	R	25x11-12	2016	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
3650 4x4 Diesel	F	25x10-12	2016	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
3650 4x4 Diesel	R	25x11-12	2016	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Can-Am											
Commander 800/XT/R/DPS	F	27x9-12	2011	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	110mm	0	NDX271000160WIZ4137A
Commander 800/XT/R/DPS	R	27x11-12	2011	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	110mm	0	NDX271000160WIZ4137A
Commander 1000/XT/X/Limited/DPS	F	27x9-14	2011	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	110mm	0	NDX271000160WIZ4137A
Commander 1000/XT/X/Limited/DPS	R	27x11-14	2011	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	110mm	0	NDX271000160WIZ4137A
Defender 800/MAX/XT	F	27x9-14	2016	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	110mm	0	NDX271000160WIZ4137A
Defender 800/MAX/XT	R	27x11-14	2016	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	110mm	0	NDX271000160WIZ4137A
Defender 1000/DPS/XT	F	27x9-14	2016	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	110mm	0	NDX271000160WIZ4137A
Defender 1000/DPS/XT	R	27x11-14	2016	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	110mm	0	NDX271000160WIZ4137A
Defender 500/DPS & 800/DPS	F	25x8-12	2016	2020	25x10.00-14	350 MAG	4 ON 137 mm	14.8mm	110mm	0	NDX251000140350M4137A
Defender 500/DPS & 800/DPS	R	25x10-12	2016	2020	25x10.00-14	350 MAG	4 ON 137 mm	14.8mm	110mm	0	NDX251000140350M4137A
Club Car											
Carryall 1500/1700/XRT 1550/1550 SE	F/R	25x10.5-12	2015	2020	25x10.00-14	350 MAG	4 ON 4"	14.5 mm	65 mm	-6	NDX251000146350M4101A
CF Moto											
U Force 500	F	26x9-14	2016	2020	26x9.00-16	DIRT MASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
U Force 500	R	26x11-14	2016	2020	26x9.00-16	DIRT MASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
U Force 800/EPS/LX	F	26x9-14	2014	2020	26x9.00-16	DIRT MASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
U Force 800/EPS/LX	R	26x11-14	2014	2020	26x9.00-16	DIRT MASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
Cub Cadet											
Challenger 550	F	26x9-14	2015	2020	26x9.00-16	DIRT MASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
Challenger 550	R	26x11-14	2015	2020	26x9.00-16	DIRT MASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
Volunteer 625 4WD	F	26x10-12	2009	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83mm	0	NDX251000140350M5114A
Volunteer 625 4WD	R	26x11-12	2009	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83mm	0	NDX251000140350M5114A
Challenger MX/EPS 750	F	26x9-14	2017	2020	26x9.00-16	DIRT MASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
Challenger MX/EPS 750	R	26x11-14	2017	2020	26x9.00-16	DIRT MASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A

MAKE / MODEL	F/R TIRE	OEM TIRE SIZE	YEAR FROM	YEAR TO	RECOMMENDED NDX SIZE	TREAD PATTERN	BOLT PATTERN	BOLT HOLE SIZE	PILOT HOLE SIZE	OFFSET	NDX PART NUMBER
Honda											
Pioneer 500	F	24x8-12	2015	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
Pioneer 500	R	24x10-12	2015	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
Pioneer 700/ Deluxe	F	25x8-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
Pioneer 700/ Deluxe	R	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
Pioneer 1000 EPS/Deluxe	F	27x9-14	2016	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	80mm	48mm	NDX2710001648WIZ4137A
Pioneer 1000 EPS/Deluxe	R	27x11-14	2016	2020	27x10.00-16	WIZZARD	4 ON 137 mm	14.8mm	80mm	48mm	NDX2710001648WIZ4137A
John Deere											
Gator XUV 625 4X4	F	25x9-12	2010	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
Gator XUV 625 4X4	R	25x11-12	2010	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
XUV 825 / Midnight Black SE/S4/E/M	F	25x9-12	2010	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
XUV 825 / Midnight Black SE/S4/E/M	R	25x11-12	2010	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
GATOR XUV 850D 4X4	F	25x8-12	2007	2009	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
GATOR XUV 850D 4X4	R	25x10-12	2007	2009	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
GATOR HPX 854 4X4 DIESEL	F	25x8-12	2004	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
GATOR HPX 854 4X4 DIESEL	R	25x10-12	2004	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
XUV 855	F	25x9-12	2010	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
XUV 855	R	25x11-12	2010	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83 mm	0	NDX251000140350M5114A
Kawasaki											
Mule Pro 800 FXT/FXR/EPS	F	26x9-12	2015	2020	26x9.00-16	DIRT MASTER	4 ON 156 mm	14mm	132mm	0	NDX26900160DM4156A
Mule Pro 800 FXT/FXR/EPS	R	26x11-12	2015	2020	26x9.00-16	DIRT MASTER	4 ON 156 mm	14mm	132mm	0	NDX26900160DM4156A
Mule 2500, 3000, 4000, 4010	F/R	23x11-10	2009	2020	25x10.00-14	350 MAG	4 ON 137 mm	14.8mm	110mm	0	NDX251000140350M4137A
Kubota											
RTV 850 XG Sidekick	F	25x10-12	2019	2020	25x10.00-14	350 MAG	4 ON 110 mm	16mm	72mm	38 mm	NDX2510001438350M4110A
RTV 850 XG Sidekick	R	25x10-12	2019	2020	25x10.00-14	350 MAG	4 ON 110 mm	16mm	72mm	38 mm	NDX2510001438350M4110A
RTV 900	F	25x12-12	2014	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83mm	0	NDX251000140350M5114A
RTV 900	R	25x12-12	2014	2020	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83mm	0	NDX251000140350M5114A
RTV-X 900 Diesel	F	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
RTV-X 900 Diesel	R	25x12-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
RTV-X 1100	F	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
RTV-X 1100	R	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
RTX-X 1120	F	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
RTX-X 1120	R	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
RTX 1140 CPX	F	25x10-12	2010	2014	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83mm	0	NDX251000140350M5114A
RTX 1140 CPX	R	25x11-12	2010	2014	25x10.00-14	350 MAG	5 ON 4.5"	14mm	83mm	0	NDX251000140350M5114A
RTV-X 1140	F	25x10-12	2016	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
RTV-X 1140	R	25x10-12	2016	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A

MAKE / MODEL	F/R TIRE	OEM TIRE SIZE	YEAR FROM	YEAR TO	RECOMMENDED NDX SIZE	TREAD PATTERN	BOLT PATTERN	BOLT HOLE SIZE	PILOT HOLE SIZE	OFFSET	NDX PART NUMBER
Polaris											
Ranger 400/EV	F	25x9-12	2013	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Ranger 400/EV	R	25x11-12	2013	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Ranger 500	F	25x10-12	2004	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Ranger 500	R	25x11-12	2004	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Ranger 570 EPS/EFI	F/R	25x10-12	2013	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Ranger Crew 570	F/R	25x9-12	2013	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Ranger Crew 900 XP/EPS	F	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Ranger Crew 900 XP/EPS	R	25x11-12	2014	2020	25x10.00-14	350 MAG	4 ON 156 mm	14mm	132 mm	0	NDX251000140350M4156A
Ranger XP 900 EPS	F	26x9-12	2016	2020	26x9.00-16	DIRT MASTER	4 ON 156 mm	14mm	132 mm	0	NDX26900160DM4156A
Ranger XP 900 EPS	R	26x11-12	2016	2020	26x9.00-16	DIRT MASTER	4 ON 156 mm	14mm	132 mm	0	NDX26900160DM4156A
Ranger Crew XP 1000 EPS	F	26x9-12	2017	2020	26x9.00-16	DIRT MASTER	4 ON 156 mm	14mm	132 mm	0	NDX26900160DM4156A
Ranger Crew XP 1000 EPS	R	26x11-12	2017	2020	26x9.00-16	DIRT MASTER	4 ON 156 mm	14mm	132 mm	0	NDX26900160DM4156A
Ranger XP 1000 EPS	F	26x9-12	2017	2020	26x9.00-16	DIRT MASTER	4 ON 156 mm	14mm	132 mm	0	NDX26900160DM4156A
Ranger XP 1000 EPS	R	26x11-12	2017	2020	26x9.00-16	DIRT MASTER	4 ON 156 mm	14mm	132 mm	0	NDX26900160DM4156A
Yamaha											
Viking 700/EPS/SE/Ranch	F	25x8-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
Viking 700/EPS/SE/Ranch	R	25x10-12	2014	2020	25x10.00-14	350 MAG	4 ON 110 mm	14mm	83mm	0	NDX251000140350M4110A
Wolverine 700/R-SPEC/EPS/S	F	26x8-12	2016	2018	26x9.00-16	DIRTMASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
Wolverine 700/R-SPEC/EPS/S	R	26x10-12	2016	2018	26x9.00-16	DIRTMASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
Wolverine 850 X2 EPS/R-SPEC/S	F	26x8-12	2008	2020	26x9.00-16	DIRTMASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A
Wolverine 850 X2 EPS/R-SPEC/S	R	26x10-12	2008	2020	26x9.00-16	DIRTMASTER	4 ON 110 mm	14mm	83mm	0	NDX26900160DM4110A



NDX™ MOBILITY SOLUTIONS

100% uptime + 0% downtime = Maximum Productivity, Utilization, Safety & Value!

The Tire That Never Goes Flat!

Patent-pending breakthrough in airless tire design and value.

Heavy-duty construction, 14-ply effective rating; ultra-durable and long-lasting for heavy-duty use.

Less deflection than pneumatic tires, under heavy loads; maintains safe ground clearance.

Wide contact patch enhances stability & braking performance.

Exceptional traction, grip and handling; OEM approved tread patterns.

Tire sustains continuous normal operation even with punctures >1" in diameter.

Tread design improves fuel economy by up to 10% vs. other tire options, for an eco-friendly solution.

ECO-FRIENDLY

Lasts up to 2x longer than other airless tires, even when carrying heavy loads (e.g. a grass catcher) – the ideal tire for commercial turf care.

No maintenance; tire retains optimal profile at all times.

Integrated aluminum or steel wheels included with NDX system.

Comfortable ride, equal to or better than pneumatic tires.

Supports loads up to 1,100 lbs. with no degradation in performance; rated to 62 mph.

350 Mag

Wizzard

Dirt Master



GLOBAL HEADQUARTERS
OTR Wheel Engineering, Inc. • 195 Chatillon Road NE • Rome, Georgia 30161
706-235-9781 • otrwheel.com/ndxairlesstire



OEM Compliant • Popular Fitments • Durable & Long-Lasting • No Downtime • Better ROI • Safe Operation